

POWERPUSH®


MANUAL DISPENSERS

POWERED BY
MERITool®



**PROFESSIONAL
INDUSTRIAL
DURABLE
HIGH PERFORMANCE**

YOUR PROFESSION - OUR PASSION™



Page		Model	Capacity	Thrust Ratio	Mix Ratio
03	SINGLE COMPONENT CARTRIDGE	112-10	10oz 310ml 1/10 gallon	12:1	N/A
		112-29	29oz 856ml quart	12:1	N/A
		126-10	10oz 310ml 1/10 gallon	26:1	N/A
		126-29	29oz 856ml quart	26:1	N/A
04	SINGLE COMPONENT SAUSAGE	112-400	13 oz 400 / 465 ml	12:1	N/A
		112-600	20oz 600ml	12:1	N/A
		126-400	13 oz 400 ml 465 ml	26:1	N/A
		126-600	20oz 600ml	26:1	N/A
05	DUAL COMPONENT CARTRIDGE	226-200M-101	250ml	26:1	10:1
		226-200M-1121	200 / 215ml	26:1	1:1, 2:1
		226-330-101	345ml	26:1	10:1
		226-380C-101	380ml	26:1	10:1
06	DUAL COMPONENT CARTRIDGE	226-385-31	380ml	26:1	3:1
		226-400M-101	495ml	26:1	10:1
		226-400M-1121	400 / 430ml	26:1	1:1, 2:1
		226-585-31	585ml	26:1	3:1
07	DUAL COMPONENT CARTRIDGE	226-600-11	600ml	26:1	1:1
		226-600-21	450ml	26:1	2:1
		235-1500-101	825ml	35:1	10:1
		235-1200-21	30oz 900ml	35:1	2:1
08	PARTS & ACCESSORIES				

Model #112-10

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
10oz 310ml 1/10 gal.	12:1	N/A	1.7	12

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
20.3	22.5	0.98

**Model #112-29**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
29oz 856ml quart	12:1	N/A	2.2	12

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
26.9	28.7	1.68

**Model #126-10**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
10oz 310ml 1/10 gal.	26:1	N/A	1.8	12

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
21.9	24.2	1.06

**Model #126-29**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
29oz 856ml quart	26:1	N/A	2.2	12

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
26.9	28.7	1.68



Model #112-400



Capacity

13oz 400ml 465ml

Thrust Ratio

12:1

Mix Ratio

N/A

Weight ea. (lb)

1.9

Case Qty

10

Case Shipping Dimensions

Net Wt. (lb)

18.9

Gross Wt. (lb)

20.2

Cu-ft.

1.01

Model #112-600



Capacity

20oz 600ml

Thrust Ratio

12:1

Mix Ratio

N/A

Weight ea. (lb)

2.2

Case Qty

10

Case Shipping Dimensions

Net Wt. (lb)

22.0

Gross Wt. (lb)

23.1

Cu-ft.

1.48

Model #126-400



Capacity

13oz 400ml 465ml

Thrust Ratio

26:1

Mix Ratio

N/A

Weight ea. (lb)

2.1

Case Qty

10

Case Shipping Dimensions

Net Wt. (lb)

20.6

Gross Wt. (lb)

22.0

Cu-ft.

0.94

Model #126-600



Capacity

20oz 600ml

Thrust Ratio

26:1

Mix Ratio

N/A

Weight ea. (lb)

2.4

Case Qty

10

Case Shipping Dimensions

Net Wt. (lb)

24.2

Gross Wt. (lb)

25.3

Cu-ft.

1.47

Model #226-200M-101

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
250ml	26:1	10:1	2.6	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
25.5	26.6	1.08

**Model #226-200M-1121**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
200 / 215ml	26:1	1:1, 2:1	2.6	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
25.5	26.6	1.08

**Model #226-330-101**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
345ml	26:1	10:1	2.7	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
26.8	28.6	1.02

**Model #226-380C-101**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
380ml	26:1	10:1	2.6	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
26.4	27.9	1.07



**Model #226-385-31****Capacity**

380ml

Thrust Ratio

26:1

Mix Ratio

3:1

Weight ea. (lb)

3.3

Case Qty

10

Case Shipping Dimensions**Net Wt. (lb)**

33.0

Gross Wt. (lb)

35.2

Cu-ft.

1.40

**Model #226-400M-101****Capacity**

495ml

Thrust Ratio

26:1

Mix Ratio

10:1

Weight ea. (lb)

3.3

Case Qty

10

Case Shipping Dimensions**Net Wt. (lb)**

33.4

Gross Wt. (lb)

35.2

Cu-ft.

1.41

**Model #226-400M-1121****Capacity**

400 / 430ml

Thrust Ratio

26:1

Mix Ratio

1:1, 2:1

Weight ea. (lb)

3.3

Case Qty

10

Case Shipping Dimensions**Net Wt. (lb)**

33.0

Gross Wt. (lb)

35.2

Cu-ft.

1.41

**Model #226-585-31****Capacity**

585ml

Thrust Ratio

26:1

Mix Ratio

3:1

Weight ea. (lb)

3.7

Case Qty

10

Case Shipping Dimensions**Net Wt. (lb)**

36.9

Gross Wt. (lb)

39.6

Cu-ft.


1.78

Model #226-600-11

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
600ml	26:1	1:1	3.7	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
36.9	39.6	1.85

**Model #226-600-21**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
450ml	26:1	2:1	3.7	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
36.9	39.6	1.85

**Model #235-1200-21**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
30oz 900ml	35:1	2:1	3.0	5

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
25.3	26.6	1.80

**Model #235-1500-101**

Capacity	Thrust Ratio	Mix Ratio	Weight ea. (lb)	Case Qty
825ml	35:1	10:1	2.6	10

Case Shipping Dimensions

Net Wt. (lb)	Gross Wt. (lb)	Cu-ft.
25.5	26.6	1.08



**Description**

Sausage Piston

Case Quantity

10

Model #1040-154**Description**

Metal 29oz Piston (54mm)

Case Quantity

10

Model #1040-170**Description**

Nut M8 x 1.25

Case Quantity

10

Model #1040-168**Description**

Locknut M8 x 1.25

Case Quantity

10

Model #1040-169**Description**

Quick Thread Endcap

Case Quantity

10

Model #1040-166**Description**

Cone Nozzle

Case Quantity

10

Model #1040-132-10P**Description**

Trim Nozzle

Case Quantity

10

Model #5510-5-008-10P

POWERPUSH®
MANUAL DISPENSERS



OFFICE:
4496 Route 353
PO Box 148
Salamanca, NY 14779

SALES:
716-699-6005
sales@meritool.com
www.meritool.com

YOUR PROFESSION - OUR PASSION™